




image of Embossed finish



Embossed finish, Black



Embossed finish, Red



Embossed finish, Dark Green




JIS mark Certification Signboard Stainless steel, Embossed finish (Standard specifications)


Place the signboard at the entrance or reception room to promote of your JIS mark certification.

Japan Quality Assurance Organization (JQA)
as a front runner of a fair and neutral third-party Certification Body.
We will provide total solutions that support the development and trust
of our customers with world-wide-class services.

image of Embossed finish



Embossed finish, Black



Embossed finish, Red



Embossed finish, Dark Green

JIS mark Certification Signboard (three-dimensional Cut Letter Specifications)

We have added a new three-dimensional character design (JIS mark display) to the stainless steel factory signboard. Please the signboards at the entrance or reception room to promote your JIS mark certification.

JIS mark Certification Signboard

Stainless steel, Embossed finish

- Standard specifications or
- Three-dimensional Cut Letter Specifications

Custom-made Service

You can show obtained JIS mark Certification by displaying the Signboard at your factory entrance or reception room.

Regarding specifications such as material or size, we may be able to ask you to some extent. Please feel free to contact us.

Japanese versions(日本語版) are also available.

Contact us :

JAPAN QUALITY ASSURANCE ORGANIZATION (JQA)

JIS Certification Dept.
E-mail: jis-cstm@jqa.jp
URL: <https://www.jqa.jp>


Planning Division:
TEL: +81-3-4560-5500
FAX: +81-3-4560-5501
1-25, Kandasudacho, Chiyoda-ku, Tokyo 101-8555, Japan

JIS Kansai Branch:
TEL: +81-6-6393-8200
FAX: +81-3-6393-8210
4-1-9, Miyahara, Yodogawa-ku, Osaka-shi, Osaka 532-0003, Japan

Specs

-Stainless steel, Embossed finish:

image of Embossed finish



*** The color and details might be slightly different from the actual product.**

- Size : Horizontal style, 280 mm x 347 mm
- : Vertical style, 430 mm x 347 mm
- : Thickness, 10 mm

- Weight: Horizontal approx.1kg / Vertical approx.2kg

- Clear spray coating, English or Japanese available

